


REVISIONS						
PAGE	ZONE	REV	ECN	DESCRIPTION	DATE	APPROVED
1	-	**	61344	NEW RELEASE (QAR MEMO#76)	03/26/99	
1	-	*A	117720	CHANGE TITLE FROM 20LD SSOP CARRIER TAPE TO CARRIER TAPE, SSOP20 (209MILS)/DELETE SUPPLIER P/N/ADD TOLERANCE ON MAJOR DIMENSIONS	07/31/02	
1	-	*B	3433478	UPDATED DRAWING BASED ON SUPPLIER'S LATEST DRAWING REVISION CHANGE TITLE FROM CARRIER TAPE, SSOP20 (209 MILS) TO CARRIER TAPE, SSOP20 209 MILS (ADVANTEK) CHANGE DRAWING TEMPLATE	11/22/11	QAD/KGL
1	-	*C	3741249	NO CHANGE SUNSET REVIEW	09/12/12	QAD/KGL




SECTION A-A

$$A_o = 8.20 \pm 0.10$$

$$B_o = 7.50 \pm 0.10$$

$$K_o = 2.50 \pm 0.10$$

$$K_1 = 2.10 \pm 0.10$$



SECTION B-B

- NOTES:
- 10 SPROCKET HOLE PITCH CUMULATIVE TOLERANCE ± 0.2
 - CAMBER IN COMPLIANCE WITH EIA 481
 - POCKET POSITION RELATIVE TO SPROCKET HOLE MEASURED AS TRUE POSITION OF POCKET, NOT POCKET HOLE

THIS DRAWING CONTAINS INFORMATION WHICH IS THE PROPRIETARY PROPERTY OF CYPRESS SEMICONDUCTOR CORPORATION. THIS DRAWING IS RECEIVED IN CONFIDENCE AND ITS CONTENTS MAY NOT BE DISCLOSED WITHOUT WRITTEN CONSENT OF CYPRESS SEMICONDUCTOR CORPORATION.

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN MILLIMETERS STANDARD TOLERANCES ON: DECIMALS ANGLES .X ± 0.2 ° \pm .XX ± 0.10 .XXX \pm	DESIGNED BY	DATE	CYPRESS Company Confidential					
	DRAWN BY	DATE						
	CHECKED BY	DATE						
	APPROVED BY	DATE						
MATERIAL	SEE NOTES	APPROVED BY	DATE	TITLE	SIZE	PART NO.	DWG NO	REV
FINISH		APPROVED BY	DATE	CARRIER TAPE, SSOP20 209 MILS (ADVANTEK)	A	O20209CT	51-51101	*C
		APPROVED BY	DATE	SCALED TO FIT	ENG'G REV	SHEET 1		OF 1