




- NOTES:
1. MATERIAL : POLYSTYRENE (BLACK)
 2. ANTISTATIC COATED
 3. FLANGE WARPAGE : 3 MM MAXIMUM
 4. ALL DIMENSIONS ARE IN MM
 5. ESD - SURFACE RESISTIVITY
- 10^5 TO 10^{11} OHMS/SQ.
 6. GENERAL TOLERANCE : ± 0.25 MM
 7. TOTAL THICKNESS OF REEL: 18.4 MAX.
 8. SUPPLIER PART NO.: 3322 202 07201

REVISIONS						
PAGE	ZONE	REV	ECN	DESCRIPTION	DATE	APPROVED
1	-	**	115788	NEW RELEASE	05/15/02	
1	-	*A	303352	ADD BLACK COLOR LOCK REEL	12/21/04	
1	-	*B	3159123	CHANGE TITLE FROM REEL TAPE 7"HUB (REEL THICKNESS 18.4) TO REEL, 13INCH DIA., 12MM W X 7INCH HUB UPDATE DRAWING BASED ON SUPPLIER'S LATEST DRAWING CHANGE DRAWING TEMPLATE	02/02/11	QAD/KGL



THIS DRAWING CONTAINS INFORMATION WHICH IS THE PROPRIETARY PROPERTY OF CYPRESS SEMICONDUCTOR CORPORATION. THIS DRAWING IS RECEIVED IN CONFIDENCE AND ITS CONTENTS MAY NOT BE DISCLOSED WITHOUT WRITTEN CONSENT OF CYPRESS SEMICONDUCTOR CORPORATION.

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN MILLIMETERS STANDARD TOLERANCES ON:		DESIGNED BY	DATE	 CYPRESS Company Confidential
DECIMALS	ANGLES	DRAWN BY	DATE	
.X \pm 0.25	\pm	AOQ	02/02/11	
.XX \pm 0.25		CHECKED BY	DATE	
.XXX \pm		AEL	02/02/11	
		APPROVED BY	DATE	
		QAD	02/02/11	
MATERIAL	SEE NOTES	APPROVED BY	DATE	TITLE
		KGL	02/02/11	REEL, 13INCH DIA., 12MM W X 7INCH HUB
FINISH		APPROVED BY	DATE	SIZE
				A
				PART NO.
				TX12-07
				DWG NO
				51-51153
				REV
				*B
				SCALED TO FIT
				ENG'G REV
				SHEET 1 OF 1